Amendments to the Claims:

Claim 1 (Original): A compound of the general Formula I:

wherein:

D is selected from the group comprising:

R²

$$R^3$$
 R^3
 R^3

and wherein:

R¹ is alkyl or hydroxyalkyl;

 R^2 and R^3 are H, or together with the carbon atoms to which they are attached form a 6-membered aromatic ring; L is a linking group comprising an optionally substituted chain of 3, 5 or 7 carbon atoms which, together with the double bond linking D to L forms a conjugated polyenic chain; and

 R^4 and R^5 are independently alkyl, hydroxyalkyl or $p-C_5H_4-OAc$.

Claim 2 (Currently Amended): A compound of claim 1 the general Formula I:

wherein:

D is selected from the group comprising:

$$R^2$$
 R^3
 R^3

and wherein:

R¹ is alkyl or hydroxyalkyl;

R² and R³ are H, or together with the carbon atoms to which they are attached form a 6-membered aromatic ring;
L is a linking group comprising an optionally substituted chain of 3, 5 or 7 carbon atoms which, together with the double bond linking D to L forms a conjugated polyenic chain; and

 R^4 and R^5 are independently alkyl, hydroxyalkyl or $p-C_6H_4-OAc$.

Claim 3 (Currently Amended): A compound of claim 1 or claim 2 wherein L is an optionally substituted chain of 3 or 5 carbon atoms which, together with the double bond linking D to L forms a conjugated polyenic chain.

Claim 4 (Original): A compound of claim 3 wherein \mathbb{R}^1 is dihydroxyalkyl.

Claim 5 (Currently Amended): A compound of any preceding claim $\underline{1}$ wherein R^2 and R^3 together with the carbon atoms to which they are attached form a 6-membered aromatic ring+.

Claim 6 (Currently Amended): A compound of any preceding claim $\underline{1}$ wherein R^4 and R^5 are independently alkyl or hydroxyalkyl.

Claim 7 (Currently Amended): A compound of claim 1 according to formula I, represented by

wherein:

 R^1 is CH_3 , CH_2CH_2OH , $CH_2CH(OH)CH_2OH$ or alkyl chain of up to 30 carbon atoms;

 R^2 and R^3 are H, or together with the carbon atoms to which they are attached form a 6-membered aromatic ring; one of R^4 or R^5 is hydroxyalkyl; and

L is an optionally substituted chain of 5 carbon atoms which, together with the double bond linking D to L forms a conjugated polyenic chain.

```
Claim 9 (Original): A compound selected from the group
comprising:
[4{2-(N-Methylpyridin-4(1H)-ylidene)ethenyl}-3-cyano-5,5-
dimethyl-2(5H) furanylidene}]propanedinitrile;
[4{4-(N-Methylpyridin-4(1H)-ylidene)-1,3-butadienyl}-3-cyano-
5,5-dimethyl-2(5H)-furanylidene]propanedinitrile;
[4\{6-(N-Methylpyridin-4(1H)-ylidene)-1,3,5-hexatrienyl\}-3-
cyano-5,5-dimethy1-2(5H)-furanylidene]propanedinitrile;
\{4\{2-[N-(2,3-Dihydroxypropyl)pyridine-4(1H)-ylidene]ethenyl\}-
3-cyano-5,5-dimethy1-2(5H)-furanylidene}'propanedinitrile;
\{4\{4-[(2,3-Dihydroxypropy1)pyridin-4(1H)-ylidene]-1,3-
butadieny1}-3-cyano-5,5-dimethy1-2(5H)-furanylidene}'
propanedinitrile;
[4{2-(N-Methylpyridin-2(1H)-ylidene)ethenyl}-3-cyano-5,5-
dimethyl-2(5H)-furanylidene]propanedinitrile;
[4{4-(N-Methylpyridin-2(1H)-ylidene]-1,3-butadienyl}-3-cyano-
5,5-dimethy1-2(5H)-furanylidene]propanedinitrile;
[4{6-(N-Methylpyridin-2(1H)-ylidene)-1,3,5-hexatrienyl}-3-
cyano-5,5-dimethy1-2(5H)-furanylidene]propanedinitrile;
\{4\{2[N-(2,3-Dihydroxypropyl)pyridin-2(1H)-ylidene]ethenyl\}-3-
cyano-5,5-dimethyl-2(5H)-furanylidene}'propanedinitrile;
\{4\{4-[N-(2,3-Dihydroxypropyl)pyridin-2(1H)-ylidene]-1,3-
butadienyl}-3-cyano-5,5-dimethyl-2(5H)-furanylidene}'
propanedinitrile;
cyano-5,5-dimethyl-2(5H)-furanylidene}'propanedinitrile;
\{4\{4-[N-(2-Hydroxyethyl) quinolin-4(1H)-ylidene]-1,3-
butadienyl}-3-cyano-5,5-dimethyl-2(5H)-furanylidene}'
propanedinitrile;
^{4}{6-[N-(2-Hydroxyethyl)quinolin-4(1H)-ylidene]-1,3,5-
hexatrienyl}-3-cyano-5,5-dimethyl-2(5H)-furanylidene}'
```

Claim 8 (Currently Amended): A compound of claim 7 wherein R.

R¹ is dihydroxyalkyl.


```
propanedinitrile;
ethylidene}-2-chloro-1-cyclohexen-1-yl}'-E-ethenyl}"-3-cyano-
5,5-dimethy1-2(5H)-furanylidene}"'propanedinitrile;
`{4{2-[N-Methylquinolin-2(1H)-ylidene]ethenyl}-3-cyano-5,5-
dimethy1-2(5H)-furanylidene}'propanedinitrile;
`{4{4-[N-Methylquinolin-2(1H)-ylidene]-1,3-butadienyl}-3-
cyano-5,5-dimethyl-2(5H)-furanylidene}'propanedinitrile;
`{4{6-[N-Methylquinolin-2(1H)-ylidene]-1,3,5-hexatrienyl}-3-
cyano-5,5-dimethyl-2(5H)-furanylidene}'propanedinitrile;
`{4-{2-[N-(2-hydroxyethyl)benzothiazol-2(3H)-ylidene]-
etheny1}-3-cyano-5,5-dimethy1-2(5H)-furanylidene}'
propanedinitrile;
\{4-\{4-[N-(2-hydroxyethy1)benzothiazol-2(3H)-ylidene]-1,3-
butadienyl}-3-cyano-5,5-dimethyl-2(5H)-furanylidene}'
propanedinitrile;
\{4-\{6-[N-(2-hydroxyethyl)benzothiazol-2(3H)-ylidene]-1,3,5-
hexatrieny1}-3-cyano-5,5-dimethy1-2(5H)-furanylidene}'
propanedinitrile;
^{4}-4-[N-(2-hydroxyethyl)benzothiazol-2(3H)-ylidene]-1,3-
butadienyl}-5-(4-acetoxy-phenyl)-3-cyano-5-methyl-2 (5H)-
furanylidene}'propanedinitrile; and
""{4-"{2-'{3-{2-[N-(2-hydroxycthy1)benzothiazol-2(3H)-ylidene]}}}
ethylidene}-2-chloro-1-cyclohexen-1-yl}'-E-ethenyl}"-3-cyano-
```

Claim 10 (Currently Amended): A method of preparing a compound of Formula I as defined in claim 1 comprising:

 \mathbf{II}

(a) reacting a compound of Formula II:

5,5-dimethy1-2(5H)-furanylidene}"'propanedinitrile.



wherein L is defined in claim 1, with a compound of Formula III:

wherein \mbox{R}^4 and \mbox{R}^5 are as defined in claim 1, to form a compound of Formula IV:

(b) reacting the compound of Formula IV from step (a) with a donor compound to form a compound of Formula I, wherein the donor compound bears a donor group selected from the group comprising:

Claim 11 (Currently Amended): A method of claim 10 preparing-a comprising:

(a) reacting a compound of Formula II:

 \mathbf{II}

wherein L is defined in claim 1, with a compound of Formula III:

wherein \mbox{R}^4 and \mbox{R}^5 are as defined in claim 1, to form a compound of Formula IV:

(b) reacting the compound of Formula IV from step (a) with an azinium or azolium donor derivative of Formula V, VI, or VII, where X is halogen and R^1 , R^2 , R^3 are defined in claim 1, to form a compound of Formula $I_{\overline{}}$, wherein:

$$R^{1}$$
 R^{2}
 N^{+}
 X^{-}
 R^{3}
 CH_{3}
 V
 VI
 VII
 VII

Claim 12 (Currently Amended): A composite material prepared from a polymerisation mixture comprising:

 $\frac{(c)}{(a)}$ a compound of formula I of claim 1 or a derivative thereof; and

(d) (b) at least a further polymerisable material.

Claim 13 (Currently Amended): A composite material of claim 11 12 comprising a modified polyurethane, polycarbonate, polyamic acid polyimide, or a mixture thereof, which includes substituents derived from a compound of formula I.

Claim 14 (Currently Amended): An optoelectronic device comprising the composite material of claim 12 or claim 13.

Claim 15 (Currently Amended): A method of data transmission comprising transmitting light through a composite material of claim 12 or claim 13.

Claim 16 (New): A compound of claim 2 wherein L is an optionally substituted chain of 3 or 5 carbon atoms which, together with the double bond linking D to L forms a conjugated polyenic chain.

Claim 17 (New): A compound of claim 16 wherein R^1 is dihydroxyalkyl.